

FIG. 1




FIG. 2

File Edit View Go Communicator Help

Back Forward Reload

Search Netscape Print Security Stop

CDN Bugs/Patches/Tools Finances Internet Lookup New & Cool

Bookmarks Location: http://auth-ns-0.cdn.3132/

NetworkAppliance

Summary System Network Transparency Administration Authentication Access Control HTTP FTP DNS Gopher NNTP Streaming Takeover ICAP Hierarchies General

Forwarding Rules View All Hosts

Rule names marked with '\*' are protocol-specific rules that NetCache provides. NetCache automatically enables a protocol-specific rule unless you create a custom rule specific to the same protocol.

Current Rules 33 34

Def Enable Edit Rule Name Protocol and Conditions Dist Method

1	noncacheable	noncacheable	direct	
2	my new rule	http	single-host	goatlord nc netapp co
3	local domain	server-domain = nc netapp com	direct	
-	off	HTTP-to-all * http,tunnel,ftp,gopher	cluster	goatlord nc netapp co blood netapp com
-	on	MMS-to-all * mms	cluster	goatlord nc netapp co blood netapp com
-	on	RTSP-to-all * rtsp	cluster	goatlord nc netapp co blood netapp com

Commit Changes

FIG. 3A

**Edit the forwarding rule definition Click Commit Changes to save the settings**

### Forwarding Rule Definition

Rule # 2

Rule Name my new rule

Rule Enable ☐

Protocols

- ☒ HTTP
- ☐ Gopher
- ☐ UFTP
- ☐ Tunnel
- ☐ MMS
- ☐ RTSP

Conditions

- ☒ None
- ☒ Noncacheable
- ☒ Phrase

Server Host Name ☐ 36

equals ☐ 37

38

www.yahoo.com

Format One entry per line

FIG. 3B

NetCache Manager - 10.53.44.30:3132 - Netscape

File Edit View Go Communicator Help

Back Forward Reload Home Search Netscape Print Security Shop Stop

Free AOL & Unl Instant Messages WebMail Contact People Yellow Pages Download Find Sites Channels

Bookmarks Location [http://10.53.44.30:3132](#) What's Related

NetworkAppliance®

NetCache Host: conch.nc.netapp.com 3132  
Version: NetApp Release 5.2.1X4

Data Maintenance Setup Utilities

FTP DNS Gopher NNTP Streaming Teleover ICAP Hierarchies General Firewalls Parents Neighbors Forwarding Rules ICP ContentDirector GRM Agent GRM Server

Server Host Name  
equals  
www.yahoo.com

Format: One entry per line  
Distribution Method:  
☐ Direct  
☒ Single Host  
goatlord.nc.netapp.com  
Firewall Cluster  
Parent Cluster:  
☐ goatlord.nc.netapp.com  
☐ blood.netapp.com  
ICP:  
☐ goatlord.nc.netapp.com  
☐ blood.netapp.com

FIG. 3C




FIG. 4A




FIG. 4B




FIG. 4C



1 →




FIG. 5